

Document History

Version	Release Date	Reason for issue
A	11/5/2010	Initial release
B	10/8/2012	Updated Product Identification Information

Company

Company name: Rimage® Corporation

Company logo:



R I M A G E®

Company address: 7725 Washington Avenue South
Minneapolis, Minnesota 55439
U.S.A.
<http://www.rimage.com>









Notes:

- Plastic may contain brominated flame retardant.
- Pre-RoHS circuit boards may contain lead. Boards marked with Pb-free symbol are RoHS compliant.

Important: This Waste from Electric and Electronic Equipment (WEEE) Recycling Passport provides information for treatment facilities. It is not a disassembly instruction. It is for Rimage marked products only. Original Equipment Manufacturer (OEM) products are identified where applicable. Contact the OEM for selective treatment information.

The information presented in this document does not form part of any quotation or contract, is believed to be accurate, is offered at no charge, and may be changed without notice. No liability will be accepted by Rimage for any consequences of its use. Publication thereof does not convey nor imply any license, patent, or other industrial or intellectual property rights.

Product Identification

Product name	Rimage 3400	Rimage 3410	Rimage 5400N	Rimage 5410N
Model	RAS26	RAS27	RAS26E	RAS27E
Description	Autoloader with 2 recorders, 3 input-bin carousel, and integrated Everest 400 printer.		Autoloader with 2 recorders, 3 input-bin carousel, embedded PC, and integrated Everest 400 printer.	
WEEE Category	Category 3, IT & Telecommunication Equipment			
Product weight	64 lb (29 kg)		69 lb (31 kg)	
Product dimensions	Height	18 in (46 cm)	Height	18 in (46 cm)
	Width	14.25 in (36 cm)	Width	14.25 in (36 cm)
	Depth	18.5 in (47 cm)	Depth	18.5 in (47 cm)
Product identification				
				

Location of Reportable Materials




Fig. 1 Front View

External cables may be included



Power Cord




Fig. 2 Rear View of Autoloader and Printer, Back Panel Removed

Internal cables included:



Printer Power Cord



Printer Cable



Printer USB Cable

**HR Motion Sensor PCB
(behind Fan)**
Printed circuit board >10cm²



Encoder Board
Printed circuit board >10cm²



Control Board
Printed circuit board >10cm²



Printer Power Supply
Printed circuit board >10cm²



ITS Encoder PCB
Printed circuit board >10cm²




**HR Home PCB
(behind motor)**
Printed circuit board >10cm²



Print Head Up PCB
Printed circuit board >10cm²



Side PCB
Printed circuit board >10cm²



Heater Control Board
Printed circuit board >10cm²




Fig. 3 Right Side View of Autoloader and Printer, Right Side Panel Removed





Fig. 4 Left Side View of Autoloader, Left Side Panel Removed



Print Ribbon Carrier Plastic

Retransfer Ribbon Carrier Plastic





Fig. 5 Left Side View of Printer, Cartridges In Place



Printer Control Board
Printed circuit board >10cm²




Fig. 6 Top Left View of Printer, Right and Left Side Panels and all Components Removed






Fig. 7 Back Left View of Printer, Side Panels and Components Removed

ITS End/Upper PCB
Printed circuit board >10cm²



Tray Open PCB
Printed circuit board >10cm²



Fig. 8 Front Left View of Printer, Side Panels and Components Removed

Reportable Materials

WEEE Annex II Reportable Materials

Material	Location
Polychlorinated biphenyl - containing capacitors	Absent
Mercury-containing components, such as switches or backlighting lamps	Absent
Batteries	Mother board (Fig. 4)
Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimeters	<ul style="list-style-type: none"> • Disc Detect PCB (Fig. 1) • Printer Tray Clamp Detect PCB (Fig. 1) • Carousel Sensor (Fig. 1) • PC Button Board (Fig. 1) • LED display (Fig.1) • User Button Board (Fig. 1) • Door Sensor (Fig. 1) • Lift Arm PCBA (Fig. 1) • Recorders (Fig. 1) • Hard drives (Fig. 2) • RF PCB (Fig. 2) • Power Supply (Fig. 2) • Encoder Boards (Fig. 3) • Printer Power Supply (Fig. 3) • Heater Control Board (Fig. 3) • Control Board (Fig. 3) • Side PCB (Fig. 3) • ITS Encoder PCB (Fig. 3) • HR Home PCB (Fig. 3) • HR Motion Sensor PCB (Fig. 3) • Motherboard (Fig. 4) • PCB/SATA Board (Fig. 4) • USB Front PCB (Fig. 4) • Lock 1 Sensor PCB (Fig. 4) • Printer Control Board (Fig. 6) • ITS Lower PCB (Fig. 7) • ITS End/Upper PCB (Fig. 7) • Tray PCB (Fig. 7) • Tray Encoder PCB (Fig. 7) • Ribbon Sensor PCB (Fig. 7) • Tray Open PCB (Fig. 7)
Toner cartridges, liquid and pasty, as well as color toner	Absent

Material	Location
Plastic containing brominated flame retardants	<p>May be present</p> <ul style="list-style-type: none"> • Carousel (Fig. 1) • Lift Arm Cover (Fig. 1) • Disc Dispenser (Fig. 1) • Recorder Tray (Fig. 1) • Hard Drive Rails (Fig. 2) • Disc Present Sensor (Fig. 4) • Print Ribbon Carrier (Fig. 5) • Latch 1 (Fig. 5) • Retransfer Ribbon Carrier (Fig. 5)
Asbestos waste and components which contain asbestos	Absent
Cathode ray tubes	Absent
Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC)	Absent
Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps	Absent
External electric cables	May be included – see product identification photos and photo above Fig. 2 and Fig. 3.
Components containing radioactive substances, or materials that become radioactive as a result of the function of the product, such as ionising radiation	Absent
Electrolytic capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume)	Printer Power Supply (Fig. 3)
Equipment containing gases that are ozone-depleting or have a global warming potential (GWP) above 15, such as those contained in foams and refrigeration circuits.	Absent
Cadmium (Cd)	Absent
Hexavalent Chromium (Cr VI)	Absent
Lead (Pb)	No. Boards marked with Pb-free symbol are RoHS compliant.
Mercury (Hg)	Absent

WEEE Recycling Passport

Product: Rimage Professional 3400, 3410, 5400N, and 5410N with integrated Everest 400 printer website: www.rimage.com

Material	Location
Polybrominated Biphenyls (PBB)	Absent
Polybrominated Diphenyl Ethers (PBDE)	Absent