

Document History

Version	Release Date	Reason for issue
A	09/15/2006	Initial release
B	09/30/2008	Added Everest 600 information
C	02/17/2009	Updated Product Identification information

 **Notes:**

- Plastic may contain brominated flame retardant.
- Pre-RoHS circuit boards may contain lead. Boards marked with Pb-free symbol are RoHS compliant.

Company

Company name: Rimage® Corporation

Company logo:



R I M A G E®

Company address: 7725 Washington Avenue South
Minneapolis, Minnesota 55439
U.S.A.
<http://www.rimage.com>

 **Note:** This Waste from Electric and Electronic Equipment (WEEE) Recycling Passport provides information for treatment facilities. It is not a disassembly instruction. It is for Rimage marked products only. Original Equipment Manufacturer (OEM) products are identified where applicable. Contact the OEM for selective treatment information.

The information presented in this document does not form part of any quotation or contract, is believed to be accurate, is offered at no charge, and may be changed without notice. No liability will be accepted by Rimage for any consequences of its use. Publication thereof does not convey nor imply any license, patent, or other industrial or intellectual property rights.

Product Identification

Product name	Rimage Everest II Printer		Rimage Everest III Printer		Rimage Everest 600 Printer	
Model	CDPR21		CDPR22		CDPR23	
Description	Thermal retransfer printer.					
WEEE Category	Category 3, IT & Telecommunication Equipment					
Product weight	45 lb (20.4 kg)		45 lb (20.4 kg)		45 lb (20.4 kg)	
Product dimensions	Height	9.7 in (24.6 cm)	Height	9.7 in (24.6 cm)	Height	9.7 in (24.6 cm)
	Width	9.5 in (24.1 cm)	Width	9.5 in (24.1 cm)	Width	9.5 in (24.1 cm)
	Depth	14.8 in (37.6 cm)	Depth	14.8 in (37.6 cm)	Depth	14.8 in (37.6 cm)
Product identification						
						

Location of Reportable Materials




Fig. 1 Everest Front View

External cables may be included



USB Cable



DIN Cable (Printer Cable)



Power Cord

Printer Cable
Connector

Power Connector



USB Connector

Fig. 2 Everest Rear View




Fig. 3 Everest Left Side




Fig. 4 Everest Left Side

Fig. 4 depicts the Everest printer without print ribbons, lower plate, control board, power supply, or the support structure of these items.




Fig. 5 Everest Right Side

Control Board
Printed circuit
board > 10 cm²





Fig. 6 Everest Top View, No Covers

**RF PCB
Assembly**
Printed circuit
board > 10 cm²



**Fig. 7 Everest Top View, Control Board Removed
(EIII and E600 only)**

Reportable Materials

WEEE Annex II Reportable Materials

Material	Location
Polychlorinated biphenyl - containing capacitors	Absent
Mercury-containing components, such as switches or backlighting lamps	Absent
Batteries	Absent
Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimeters	<ul style="list-style-type: none"> • Operation Panel PCB (Fig. 1) • Print Head Assembly ANT PCB (Fig. 4) • Base PCB (Fig. 4) • Side PCB (Fig. 5) • Power Supply (Fig. 5) • Control board (Fig. 6) • RF PCB Assembly (Fig. 7)
Toner cartridges, liquid and pasty, as well as color toner	Absent
Plastic containing brominated flame retardants	<p>May be present</p> <ul style="list-style-type: none"> • Handle cup (Fig. 1) • Bezel and door (Fig. 1) • Latch 1 (Fig. 3) • Print ribbon carrier (Fig. 3) • Slide Handle (Fig. 3) • Latch 3 (Fig. 3) • Latch 2 (Fig. 3)
Asbestos waste and components which contain asbestos	Absent
Cathode ray tubes	Absent

WEEE Recycling Passport

Product: Rimage Everest II; Rimage Everest III; Rimage Everest 600

website: www.rimage.com

Material	Location
Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC)	Absent
Gas discharge lamps	Halogen lamp (Fig. 3)
Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps	Absent
External electric cables	May be included (Fig. 2)
Components containing radioactive substances, or materials that become radioactive as a result of the function of the product, such as ionising radiation	Absent
Electrolytic capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume)	Power supply (Fig. 5)
Equipment containing gases that are ozone-depleting or have a global warming potential (GWP) above 15, such as those contained in foams and refrigeration circuits.	Absent
Cadmium (Cd)	Absent
Hexavalent Chromium (Cr VI)	Absent
Lead (Pb)	Pre-RoHS = Yes, on all PCBs and cables Post-RoHS = No Boards marked with Pb-free symbol are RoHS compliant.
Mercury (Hg)	Absent
Polybrominated Biphenyls (PBB)	Absent
Polybrominated Diphenyl Ethers (PBDE)	Absent